



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

NOTICE OF ALLOWANCE AND FEE(S) DUE

7590

10/21/2004

INTERNATIONAL BUSINESS MACHINES
CORPORATION
INTERNAL ZIP 4054
11400 BURNET ROAD
AUSTIN, TX 78758

RECEIVE

NOV 18 2004

GROUP 3600

EXAMINER

THEIN, MARIA TERESA T

ART UNIT

PAPER NUMBER

3627

DATE MAILED: 10/21/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/282,615	03/31/1999	JEFFREY RANDELL DEAN	AT9-98-260	8851

TITLE OF INVENTION: CONFIGURATION OF COMPUTER SYSTEMS BASED UPON PURCHASERS COMPONENT NEEDS AS DETERMINED FROM PURCHASER DATA ENTRIES CORRELATED WITH A SET OF SELLER BUSINESS RULES TO OPTIMIZE QUANTITIES OF EACH COMPONENT SOLD

APPLN. TYPE	SMALL ENTITY	ISSUE FEE	PUBLICATION FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1370	\$0	\$1370	01/21/2005

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE REFLECTS A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE APPLIED IN THIS APPLICATION. THE PTOL-85B (OR AN EQUIVALENT) MUST BE RETURNED WITHIN THIS PERIOD EVEN IF NO FEE IS DUE OR THE APPLICATION WILL BE REGARDED AS ABANDONED.

HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.

B. If the status above is to be removed, check box 5b on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or

If the SMALL ENTITY is shown as NO:

A. Pay TOTAL FEE(S) DUE shown above, or

B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.

II. PART B - FEE(S) TRANSMITTAL should be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). Even if the fee(s) have already been paid, Part B - Fee(s) Transmittal should be completed and returned. If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail

Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
or Fax (703) 746-4000

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

7590 10/21/2004

INTERNATIONAL BUSINESS MACHINES CORPORATION
INTERNAL ZIP 4054
11400 BURNET ROAD
AUSTIN, TX 78758

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

Certificate of Mailing or Transmission

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (703) 746-4000, on the date indicated below.

(Depositor's name)
(Signature)
(Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/282,615	03/31/1999	JEFFREY RANDELL DEAN	AT9-98-260	8851

TITLE OF INVENTION: CONFIGURATION OF COMPUTER SYSTEMS BASED UPON PURCHASERS COMPONENT NEEDS AS DETERMINED FROM PURCHASER DATA ENTRIES CORRELATED WITH A SET OF SELLER BUSINESS RULES TO OPTIMIZE QUANTITIES OF EACH COMPONENT SOLD

APPLN. TYPE	SMALL ENTITY	ISSUE FEE	PUBLICATION FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1370	\$0	\$1370	01/21/2005

EXAMINER	ART UNIT	CLASS-SUBCLASS
THEIN, MARIA TERESA T	3627	705-026000

1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).
- ☐ Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.
- ☐ "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.

2. For printing on the patent front page, list
- (1) the names of up to 3 registered patent attorneys or agents OR, alternatively,
- (2) the name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed.
- 1 _____
- 2 _____
- 3 _____

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE

(B) RESIDENCE: (CITY and STATE OR COUNTRY)

Please check the appropriate assignee category or categories (will not be printed on the patent): ☐ Individual ☐ Corporation or other private group entity ☐ Government

4a. The following fee(s) are enclosed:

- ☐ Issue Fee
- ☐ Publication Fee (No small entity discount permitted)
- ☐ Advance Order - # of Copies _____

4b. Payment of Fee(s):

- ☐ A check in the amount of the fee(s) is enclosed.
- ☐ Payment by credit card. Form PTO-2038 is attached.
- ☐ The Director is hereby authorized by charge the required fee(s), or credit any overpayment, to Deposit Account Number _____ (enclose an extra copy of this form).

5. Change in Entity Status (from status indicated above)

- ☐ a. Applicant claims SMALL ENTITY status. See 37 CFR 1.27. ☐ b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2).

The Director of the USPTO is requested to apply the Issue Fee and Publication Fee (if any) or to re-apply any previously paid issue fee to the application identified above. NOTE: The Issue Fee and Publication Fee (if required) will not be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office.

Authorized Signature _____

Date _____

Typed or printed name _____

Registration No. _____

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMI control number.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/282.615	03/31/1999	JEFFREY RANDELL DEAN	AT9-98-260	8851

7590 10/21/2004

INTERNATIONAL BUSINESS MACHINES
CORPORATION
INTERNAL ZIP 4054
11400 BURNET ROAD
AUSTIN, TX 78758

EXAMINER

THEI, MARIA TERESA T

ART UNIT	PAPER NUMBER
----------	--------------

3627

DATE MAILED: 10/21/2004

Determination of Patent Term Extension under 35 U.S.C. 154 (b)

(application filed after June 7, 1995 but prior to May 29, 2000)

The Patent Term Extension is 0 day(s). Any patent to issue from the above-identified application will include an indication of the 0 day extension on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Extension is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (<http://pair.uspto.gov>).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (703) 305-1383. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at (703) 305-8283.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/282,615	03/31/1999	JEFFREY RANDELL DEAN	AT9-98-260	8851

7590 10/21/2004

INTERNATIONAL BUSINESS MACHINES
CORPORATION
INTERNAL ZIP 4054
11400 BURNET ROAD
AUSTIN, TX 78758

EXAMINER

THEIN, MARIA TERESA T

ART UNIT	PAPER NUMBER
----------	--------------

3627

DATE MAILED: 10/21/2004

Notice of Fee Increase on October 1, 2004

If a reply to a "Notice of Allowance and Fee(s) Due" is filed in the Office on or after October 1, 2004, then the amount due will be higher than that set forth in the "Notice of Allowance and Fee(s) Due" because some fees will increase effective October 1, 2004. See Revision of Patent Fees for Fiscal Year 2005; Final Rule, 69 Fed. Reg. 52604, 52606 (May 10, 2004).

The current fee schedule is accessible from WEB site (<http://www.uspto.gov/main/howtofees.htm>).

If the fee paid is the amount shown on the "Notice of Allowance and Fee(s) Due" but not the correct amount in view of the fee increase, a "Notice of Pay Balance of Issue Fee" will be mailed to applicant. In order to avoid processing delays associated with mailing of a "Notice of Pay Balance of Issue Fee," if the response to the Notice of Allowance is to be filed on or after October 1, 2004 (or mailed with a certificate of mailing on or after October 1, 2004), the issue fee paid should be the fee that is required at the time the fee is paid. See Manual of Patent Examining Procedure (MPEP), Section 1306 (Eighth Edition, Rev. 2, May 2004). If the issue fee was previously paid, and the response to the "Notice of Allowance and Fee(s) Due" includes a request to apply a previously-paid issue fee to the issue fee now due, then the difference between the issue fee amount at the time the response is filed and the previously-paid issue fee should be paid. See MPEP Section 1308.01.

Effective October 1, 2004, 37 CFR 1.18 is amended by revising paragraphs (a) through (c) to read as set forth below.

Section 1.18 Patent post allowance (including issue) fees.

(a) Issue fee for issuing each original or reissue patent, except a design or plant patent:

By a small entity (Sec. 1.27(a))..... \$685.00

By other than a small entity..... \$1,370.00

(b) Issue fee for issuing a design patent:

By a small entity (Sec. 1.27(a))..... \$245.00

By other than a small entity..... \$490.00

(c) Issue fee for issuing a plant patent:

By a small entity (Sec. 1.27(a))..... \$330.00

By other than a small entity..... \$660.00

Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at (703) 305-8283.

Notice of Allowability

Application No.

09/282,615

Examiner

Marissa Thein

Applicant(s)

DEAN ET AL.

Art Unit

3625

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to August 20, 2003 and Examiner Amendment of November 14, 2003.
2. ☒ The allowed claim(s) is/are 1,2,4-8,10-14 and 16-18.
3. ☒ The drawings filed on 14 March 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.


Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1 ☒ Notice of References Cited (PTO-892)
- 2 ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3 ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____
- 4 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

- 5 ☐ Notice of Informal Patent Application (PTO-152)
- 6 ☒ Interview Summary (PTO-413), Paper No. _____
- 7 ☒ Examiner's Amendment/Comment
- 8 ☒ Examiner's Statement of Reasons for Allowance
- 9 ☐ Other


Jeffrey A. Smith
Primary Examiner

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. J.B. Kraft on November 14, 2003.

The application has been amended as follows:

In The Claims

Claims 3, 9, and 15 have been canceled.

Claims 1, 7 and 13 are amended.

In claim 1, last two paragraphs:

The last two paragraphs have been changed to read as follows:

--means for providing a set of business rules for reconciling said purchasers' system needs solution with said optimized quantities; and

means for automatically offering, to selected ones of said purchasers financial incentives based upon said business rules for reconciling to thereby reconcile said purchasers' system needs solutions with said optimized quantities of said component based upon the seller's business needs--.

In claim 7, last paragraph:

The last paragraph has been changed to read as follows:

-- providing a set of business rules for reconciling said purchasers' system needs solution with said optimized quantities; and

automatically offering, to selected ones of said purchasers, financial incentives based upon said business rules for reconciling to thereby reconcile said purchasers' system needs solutions with said optimized quantities of said components based upon the sellers' business needs --.

In claim 13, last paragraph:

The last paragraph has been changed to read as follows:

--means for providing a set of business rules for reconciling said purchasers' system needs solution with said optimized quantities; and

means for automatically offering, to selected ones of said purchasers financial incentives based upon said business rules for reconciling to thereby reconcile said purchasers' system needs solutions with said optimized quantities of said component based upon the seller's business needs--.

Reason For Allowance

The following is an examiner's statement of reasons for allowance:

Claim 1 recites a user interactive display computer system, provided by a seller of computer components to purchasers of computer systems, for configuring a computer systems including said computer components comprising: means for prompting the purchasers to make sequence of interactive data entries, the entries are

Art Unit: 3625

relative to the data processing needs of the purchaser; means for applying a set of purchaser business rules to the data entries of the purchasers to produce a system needs solution; means for allocating the computer components to the computer system of the purchaser based upon the system needs solution; means for tracking quantities of the computer components; means for applying a set of seller business rules to the track quantities of each computer component to produce a set of optimized quantities of computer components; means for providing a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities; and means for automatically offering financial incentives to the purchaser based on the business rules for reconciling. Thus, the system reconciles the purchasers' system needs solution with the optimized quantities of the components based on the seller's business needs.

Henson neither anticipates or fairly and reasonable teaches a system comprising means for applying a set of seller business rules to the tracked quantities to produce a set of optimized quantities for each computer components based on the seller's business needs; means for providing a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities; and means for automatically offering financial incentives based upon the business rules for reconciling. Furthermore, Henson neither anticipates or fairly and reasonable teaches to thereby reconcile the purchasers' system needs solution with the optimized quantities of the components based upon the seller's business needs.

Brinkley et al. neither anticipates or fairly and reasonable teaches a system for configuring computer systems including the computer components comprising: means

Art Unit: 3625

for providing a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities; and to thereby reconcile the purchasers' system needs solutions with the optimized quantities of the components based upon the sellers business needs.

It is observed that none of the references of record, either alone or in combination with any other reference of record teach providing a system of configuring a computer comprising the means for providing a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities to thereby reconcile the purchasers' system needs solutions with the optimized quantities of the components based upon the sellers business needs.

Claims 7 and 13 recite a method claim and a computer program claim, which parallel claim 1. Therefore, the reason of allowance of claims 7 and 13 is similar to the reason set forth in claim 1.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 5,668,995 to Bhat discloses a computer-implemented capacity planning system for multiprocessor computer systems, however, it does not disclose a

Art Unit: 3625

set of business rules for reconciling the purchasers' system needs solution with the optimized quantities.

U.S. Patent No. 6,052,667 to Walker et al. discloses a method and system for selling aging food products at a reduced cost, however, it does not disclose a configuration of computer components comprising a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities.

European Patent Application No. 0 899 672 discloses a computer based method of collecting, structuring, and displaying product configuration information and using the product configuration information to product a computer program that validates product option selections and configures a product. However, it does not disclose a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities configuration method.

The article "The build-to-order dilemma" discloses a method and system of custom-configuring a computer through the Internet. However, it does not disclose a set of business rules for reconciling the purchasers' system needs solution with the optimized quantities configuration method.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marissa Thein whose telephone number is 703-305-5246. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Smith can be reached on 703-308-3588. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9326.

Art Unit: 3625

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

Mtot
November 15, 2003



Jeffrey A. Smith
Primary Examiner

Interview Summary	Application No.		Applicant(s)	
	09/282,615		DEAN ET AL.	
	Examiner		Art Unit	
	Marissa Thein		3625	

All participants (applicant, applicant's representative, PTO personnel):

(1) Marissa Thein. (3)_____.

(2) Mr. J.B. Kraft. (4)_____.

Date of Interview: 14 November 2003.

Type: a) ☒ Telephonic b) ☐ Video Conference
c) ☐ Personal [copy given to: 1) ☐ applicant 2) ☐ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☒ No.

If Yes, brief description: _____.

Claim(s) discussed: _____.

Identification of prior art discussed: _____.

Agreement with respect to the claims f) ☒ was reached. g) ☐ was not reached. h) ☐ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: Examiner discussed the allowability of claim 1. Mr. Kraft authorized Examiner to amend claims 7 and 15, paralleling claim 1, by Examiner's Amendment.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN ONE MONTH FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

Examiner's signature, if required

Summary of Record of Interview Requirements

Manual of Patent Examining Procedure (MPEP), Section 713.04, Substance of Interview Must be Made of Record

A complete written statement as to the substance of any face-to-face, video conference, or telephone interview with regard to an application must be made of record in the application whether or not an agreement with the examiner was reached at the interview.

Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews

Paragraph (b)

In every instance where reconsideration is requested in view of an interview with an examiner, a complete written statement of the reasons presented at the interview as warranting favorable action must be filed by the applicant. An interview does not remove the necessity for reply to Office action as specified in §§ 1.111, 1.135. (35 U.S.C. 132)

37 CFR §1.2 Business to be transacted in writing.

All business with the Patent or Trademark Office should be transacted in writing. The personal attendance of applicants or their attorneys or agents at the Patent and Trademark Office is unnecessary. The action of the Patent and Trademark Office will be based exclusively on the written record in the Office. No attention will be paid to any alleged oral promise, stipulation, or understanding in relation to which there is disagreement or doubt.

The action of the Patent and Trademark Office cannot be based exclusively on the written record in the Office if that record is itself incomplete through the failure to record the substance of interviews.

It is the responsibility of the applicant or the attorney or agent to make the substance of an interview of record in the application file, unless the examiner indicates he or she will do so. It is the examiner's responsibility to see that such a record is made and to correct material inaccuracies which bear directly on the question of patentability.

Examiners must complete an Interview Summary Form for each interview held where a matter of substance has been discussed during the interview by checking the appropriate boxes and filling in the blanks. Discussions regarding only procedural matters, directed solely to restriction requirements for which interview recordation is otherwise provided for in Section 812.01 of the Manual of Patent Examining Procedure, or pointing out typographical errors or unreadable script in Office actions or the like, are excluded from the interview recordation procedures below. Where the substance of an interview is completely recorded in an Examiners Amendment, no separate Interview Summary Record is required.

The Interview Summary Form shall be given an appropriate Paper No., placed in the right hand portion of the file, and listed on the "Contents" section of the file wrapper. In a personal interview, a duplicate of the Form is given to the applicant (or attorney or agent) at the conclusion of the interview. In the case of a telephone or video-conference interview, the copy is mailed to the applicant's correspondence address either with or prior to the next official communication. If additional correspondence from the examiner is not likely before an allowance or if other circumstances dictate, the Form should be mailed promptly after the interview rather than with the next official communication.

The Form provides for recordation of the following information:

- Application Number (Series Code and Serial Number)
- Name of applicant
- Name of examiner
- Date of interview
- Type of interview (telephonic, video-conference, or personal)
- Name of participant(s) (applicant, attorney or agent, examiner, other PTO personnel, etc.)
- An indication whether or not an exhibit was shown or a demonstration conducted
- An identification of the specific prior art discussed
- An indication whether an agreement was reached and if so, a description of the general nature of the agreement (may be by attachment of a copy of amendments or claims agreed as being allowable). Note: Agreement as to allowability is tentative and does not restrict further action by the examiner to the contrary.
- The signature of the examiner who conducted the interview (if Form is not an attachment to a signed Office action)

It is desirable that the examiner orally remind the applicant of his or her obligation to record the substance of the interview of each case. It should be noted, however, that the Interview Summary Form will not normally be considered a complete and proper recordation of the interview unless it includes, or is supplemented by the applicant or the examiner to include, all of the applicable items required below concerning the substance of the interview.

A complete and proper recordation of the substance of any interview should include at least the following applicable items:

- 1) A brief description of the nature of any exhibit shown or any demonstration conducted,
- 2) an identification of the claims discussed,
- 3) an identification of the specific prior art discussed,
- 4) an identification of the principal proposed amendments of a substantive nature discussed, unless these are already described on the Interview Summary Form completed by the Examiner,
- 5) a brief identification of the general thrust of the principal arguments presented to the examiner,
(The identification of arguments need not be lengthy or elaborate. A verbatim or highly detailed description of the arguments is not required. The identification of the arguments is sufficient if the general nature or thrust of the principal arguments made to the examiner can be understood in the context of the application file. Of course, the applicant may desire to emphasize and fully describe those arguments which he or she feels were or might be persuasive to the examiner.)
- 6) a general indication of any other pertinent matters discussed, and
- 7) if appropriate, the general results or outcome of the interview unless already described in the Interview Summary Form completed by the examiner.

Examiners are expected to carefully review the applicant's record of the substance of an interview. If the record is not complete and accurate, the examiner will give the applicant an extendable one month time period to correct the record.

Examiner to Check for Accuracy

If the claims are allowable for other reasons of record, the examiner should send a letter setting forth the examiner's version of the statement attributed to him or her. If the record is complete and accurate, the examiner should place the indication, "Interview Record OK" on the paper recording the substance of the interview along with the date and the examiner's initials.

Notice of References Cited	Application/Control No. 09/282,615		Applicant(s)/Patent Under Reexamination DEAN ET AL.	
	Examiner Marissa Thein		Art Unit 3625	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-6,052,667 A	04-2000	Walker et al.	705/15
*	B	US-5,668,995	09-1997	Bhat, Kabekode V.	709/104
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
*	N	EP 0 899 672 A2	03-1999	European	Strevey et al.	G06F 17/60
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
*	U	Allyson Bates, "The build-to-order dilemma", Macworld, v15n5, May 1998
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 0 899 672 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
03.03.1999 Bulletin 1999/09

(51) Int. Cl.⁶: G06F 17/60

(21) Application number: 98202665.0

(22) Date of filing: 07.08.1998

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
• Strevey, Thomas Scott
Everett, Washington 98203 (US)
• Kegley, Kelly John
Renton, Washington 98055 (US)

(30) Priority: 29.08.1997 US 924716

(74) Representative:
Land, Addick Adrianus Gosling et al
Arnold & Siedsma,
Advocaten en Octrooigemachtigden,
Sweelinckplein 1
2517 GK Den Haag (NL)

(71) Applicant: THE BOEING COMPANY
Seattle, Washington 98124-2207 (US)

(54) Computer-based method of structuring product configuration information and configuring a product

(57) A computer based method of collecting, structuring, and displaying product configuration information, and using the product configuration information to produce a computer program that validates product option selections and configures a product, is disclosed. The computer-based method is used to create a Knowledge Map that contains product information objects. A product information object can be one of: a product option object, representing a customer option; a product module object, representing a collection of product parts, plans, tools, functional tests, inspections, or software; a grouping object, grouping product options or modules; or a relational object representing a relation between product objects. An input device is used to select a plurality of product information objects and position the objects in a display area. Upon selection of the objects, an operator is prompted to input specific information pertaining to the selected object. Constraints limit the selections that an operator can make, the appearance of the objects, and the configurations that can be produced from selected objects. Information pertaining to selected objects and their configuration is stored in a database. Changes can be made directly to the information stored in the database, and these changes are reflected in a corresponding display of the product information. After producing a Knowledge Map, the information is retrieved from a database to produce a set of rules that is input to a rule-based program for validating a set of product option selections and configuring a final product defined by resulting modules. The information can also be retrieved to produce object-based information

to be used in the creation of an object-based program for validating a set of product options and configuring a product.




Fig. 1

EP 0 899 672 A2

Description**Field of the Invention**

- 5 [0001] The present invention relates to product information systems and, in particular, to a method and apparatus for storing and graphically displaying product configuration information.

Background of the Invention

- 10 [0002] Many businesses that sell products provide customers with a number of options that can be selected by the customer to configure a particular product. Generally, the selection of one or more options determines particular modules that are required for assembly of the product in order to provide the functionality described by the selected option(s). Modules may include parts, plans, tools, or software that are included in the product or used to assemble the product. Interrelationships between configuration options are such that the selection of a particular option may depend
15 upon the selection of one or more other options. In addition, the selection of one or more options may preclude the selection of certain other options. In a product containing large numbers of modules, and where numerous options are presented to customers, the selection of options and production of a customized product configured according to the options selected is complex. The production of the product necessitates knowledge of the module requirements based upon the selected options, wherein the actual module requirements depend upon the particular combination of options
20 selected. In the production of a product having a complex manufacturing system, knowledge of the relationships between options and the requirements resulting from the selection of options is often decentralized and not automated. Collating the necessary information requires reference to multiple individuals or other sources of information, which is expensive and time consuming.

- [0003] The commercial aircraft industry provides an example of complex configurable products and customers who
25 select from many options to customize the products. For example, the selection of a particular aircraft engine depends on particular functional requirements of the airplane, as well as customer preferences of engine manufacturers. A customer that desires an aircraft capable of takeoffs and landings at high altitude is restricted to a selection of aircraft engines that satisfy this requirement. A preference for a particular engine manufacturer further limits the possible selections of an aircraft engine. A customer may also desire an aircraft capable of flying long distances. Since aircraft
30 engines have different capabilities, selection of a particular option may preclude selection of a particular second option. Similarly, selection of a particular functional option, such as the ability to fly long distances, may require the selection of a related option, such as an option for a smaller number of passenger seats, or a smaller cargo compartment. Once a particular option of an aircraft engine is selected, there follows a requirement for a particular module of parts necessary to accommodate the aircraft engine.

- 35 [0004] Many people are involved in designing and building a commercial aircraft. Various engineers have particular knowledge of portions of the aircraft, such as the aircraft engine, the aircraft cockpit, or the interior of the aircraft. A customer configuring an aircraft is presented with the selectable options and the relationship between the options. Providing this information to a customer may involve several people and the transferring of information from one person to
40 another. Once the configuration discussions are complete, the requirements of modules that are to be included in the aircraft must be provided to the manufacturing teams.

- [0005] As will be readily appreciated from the foregoing description, a need exists for a graphical representation of
45 product information that allows a user to specify product options and, based on the user specifications, quickly and accurately determines the modules required to make up the chosen product configuration. Such a system optimally provides the user with a product "Map" that displays available product options and the constraints associated with particular choices.

- [0006] A rules-based system is a data processing system that operates on some domain of knowledge. Knowledge
50 about the domain and the logic that experts employ with respect to the domain are acquired and represented by a set of rules. An inference engine receives the set of rules and processes them in order to provide rational deductions from the rules. Rules-based systems are well known in the art, and inference engines are commercially available.

- [0007] The acquisition of information and the creation of rules to be employed within a rules-based system is a complex task. A need exists for an improved method of acquiring information pertaining to product configurations and the
55 generation of rules that can be input to an inference engine. A rules-based system employing such an improved method of information acquisition preferably will be used to validate product options selected by a customer and to assist in the configuration of a product in accordance with the selected product options.

Summary of the Invention

- [0008] In accordance with this invention, a computer based method of structuring product information and using the

product information to produce a computer program that validates product selection options and configures a product is provided. The computer based method creates a Knowledge Map that graphically displays the information necessary to configure a product. A Knowledge Map may be an option-to-option Knowledge Map, which shows the relationship between product options, or an option-to-module Knowledge Map, which shows the modules required to make the product based on the selection of options. The computer based system includes a processor, memory, an input device, and a computer display device. In accordance with the invention, a pallet including a representation of graphical objects is displayed. A user selects graphical objects from the pallet and indicates a position in the display area where each of the objects is to be displayed. The graphical objects include a graphical option object, which represents information pertaining to a selection that may be made by a user when configuring the product. The graphical objects also include graphical logical relationship objects, specifically a conjunctive relationship object and a disjunctive relationship object, which are used to represent information necessary in configuring a product. A graphical module object that represents a product module is also included. Graphical option objects and graphical module objects include an identifier that corresponds to an entry in a database. The database stores and maintains information regarding product configuration options and requirements.

[0009] In accordance with further aspects of this invention, the pallet includes a graphical contingent relationship object representing a contingent relationship between graphical option objects or module objects. A contingent relationship indicates that the selection of one of the related objects is required for the selection of the second object.

[0010] In accordance with other aspects of this invention, the pallet also includes a graphical group box object, used to represent a grouping of product option objects. The grouping may be part of a relationship with other objects.

[0011] In accordance with other further aspects of this invention, the pallet includes a graphical constraint object representing a constraint relationship between two graphical objects.

[0012] In accordance with still other aspects of this invention, the system automatically maintains and verifies predefined constraints regarding the creation of a Knowledge Map. This includes verifying that a hard called-out option identifier associated with a graphical product object on a knowledge Map is not used twice.

[0013] In accordance with still other further aspects of this invention, the system automatically retrieves the product information and produces a set of rules for use by a rules-based computer program to produce product configuration data.

[0014] As will be readily appreciated from the foregoing description, the computer based system and method quickly and accurately creates a Knowledge Map that graphically displays product configuration information. The invention provides a pallet of graphical objects that represent product information such as configuration options, modules, and the relationships between options or between options and modules. A user creates a graphical representation of the product configuration options, and enters information pertaining to each of the graphical objects. The invention allows a user to create a Knowledge Map containing the product configuration, quickly, efficiently, and accurately. Furthermore, modifications to the Knowledge Map representation are also made efficiently and accurately. The Knowledge Map provides a customer with a well organized description of the available options when determining a desired configuration of a complex product, such as a commercial aircraft.

Brief Description of the Drawings

[0015] The foregoing aspects and many of the attendant advantages of this invention will become more readily appreciated as the same becomes better understood by reference to the following detailed description, when taken in conjunction with the accompanying drawings, wherein:

FIGURE 1 is a flow diagram illustrating the process of creating a Knowledge Map and configuring a product, in accordance with the invention;

FIGURE 2 is a flow diagram illustrating in further detail the process of creating a Knowledge Map, in accordance with the invention;

FIGURE 3 is a flow diagram illustrating in further detail the process of inputting product configuration information, in accordance with the invention;

FIGURE 4 is a block diagram of a computer based system formed in accordance with the invention;

FIGURES 5A-B illustrate the class hierarchy of the computer based system shown in FIGURE 4;

FIGURE 6 is an exemplary, pictorial representation of the screen of the system shown in FIGURE 4, including a portion of a Knowledge Map;

FIGURES 7A-7E illustrate exemplary knowledge Maps;

FIGURE 8 is a flow diagram illustrating the process of creating a graphical object;

FIGURE 9 is a pictorial representation of a title block editor window;

FIGURE 10 is a pictorial representation of an option editor window;

FIGURE 11 is a flow diagram of the process of editing information pertaining to a graphical option object;

FIGURE 12 is a pictorial representation of a relationship object editor window;

FIGURE 13 is a flow diagram illustrating the process of editing information pertaining to a graphical relation object;

FIGURE 14 is a pictorial representation of a contingent line editor window;

FIGURE 15 is a pictorial diagram of a group box editor window;

FIGURE 16 is a flow diagram illustrating the process of editing information pertaining to a graphical group box object;

FIGURES 17A-17B are flow diagrams illustrating the verification of constraints pertaining to a Knowledge Map;

FIGURES 18A-18C are flow diagrams illustrating the process of retrieving rules-based information and generating a set of rules;

FIGURE 19 illustrates an exemplary Knowledge Map; and

FIGURE 20 is a flow diagram illustrating the process of retrieving object-based information and generating object-based data.

Detailed Description of the Preferred Embodiment

[0016] The present invention provides a method for structuring and displaying product information, validating a selection of product options, and configuring a product based on the structured product information. Product information includes such data as product configuration options, modules, and the relationships between options or between options and modules. In the employment of the invention, a user gathers product information, or "knowledge," and creates a "Knowledge Map," which is a graphical representation of the knowledge. The Knowledge Map provides a user with a well-organized description of available product options and associated product module requirements. The user then retrieves the structured product information and creates a computer program that validates a customer's selection of product options and configures a product in accordance with the knowledge residing in the Knowledge Map. The validation and configuration program can be either a rules-based program or an object-based program, both of which are discussed in further detail below.

[0017] FIGURE 1 is a flow diagram illustrating the process 22 of creating a Knowledge Map, validating a selection of product options, and configuring a product, in accordance with the invention. At step 24, knowledge pertaining to product options and product configurations is retrieved from one or more sources. The sources may include knowledgeable experts, computer data, or printed information. At step 26, the collective product information is used to create a Knowledge Map on a computer. At step 28, the computer displays the Knowledge Map.

[0018] At step 30, the product information stored within the computer is retrieved and used to automatically generate a set of rules in a form that serves as input to a rules-based computer program. The step of generating rules is discussed in further detail below. At step 32, a rules-based computer program is executed using the set of rules generated at step 30. The rules-based computer program performs an analysis on a set of product options corresponding to options selected by a potential purchaser of the product. The rules-based program also configures a product by determining the modules required to be included in the product, based on the set of product options selected.

[0019] Following step 28, the mechanism of the invention selectively proceeds to step 34. Step 34 and subsequent steps 36 and 38 are performed either in addition to steps 30 and 32 or as an alternative to steps 30 and 32. When performed in addition to steps 30 and 32, steps 34, 36 and 38 validate the accuracy of the rules-based program and rules produced steps 30 and 32.

[0020] At step 34, the product information gathered at step 24 and stored in the computer is retrieved and used to generate object-based data. The object-based data may be in one of a plurality of media, including displayed on a computer monitor, paper, or stored on a computer storage medium, such as a disk drive.

[0021] At step 36, an object-based program is created. Step 36 includes a computer programmer using the object-based data generated at step 34 to author a computer program. At step 38, the computer program created at step 36 performs validation and configuration analysis, as discussed above at step 32. The use of a rules-based program and an object-based program to validate product options and configure a product is discussed in further detail below.

[0022] FIGURE 2 illustrates in further detail the step 26 of creating a Knowledge Map. At step 40, product configuration information is received by the computer. At step 42, a computer program stores the product configuration information in a format that is useful for creating Knowledge Maps, as described in further detail below. At step 44, the computer program displays a graphic representation of a Knowledge Map. The computer displays the Knowledge Map on one or more of a plurality of media, including a computer monitor or paper.

[0023] At step 46, after reviewing the Knowledge Map, a user revises the Knowledge Map, editing the product configuration information on the computer to produce a desired Knowledge Map. As indicated by the dashed line 47, revising the Knowledge Map may include returning to step 40 and inputting additional product configuration information.

[0024] The invention can be employed to create two types of Knowledge Maps. An option-to-option Knowledge Map is used to configure a product. It contains options and relationships between the options. An option-to-module Knowledge Map is used to define the product. It contains options and modules, as well as relationships between options and

modules.

[0025] FIGURE 3 illustrates in further detail the step 40 of receiving product configuration information. At step 50, the computer receives general Knowledge Map information. General Knowledge Map information includes a title of the Knowledge Map, a list of one or more authors, significant dates, and other administrative information. At step 52, the computer receives product option information. Product option information includes options that can be selected by a customer to customize one or more products.

[0026] At step 54, the computer receives option-to-option relationship information. Option-to-option relationship information describes relationships between product options. For example, the selection of one product option may require the selection of a second product option. Alternatively, the selection of one product option may preclude the selection of a second product option.

[0027] At step 56, a determination is made of whether an option-to-module Knowledge Map is being created. If it is determined that an option-to-module Knowledge Map is not being created, the process 40 of receiving product configuration information is complete. If, at step 56, it is determined that an option-to-module Knowledge Map is being created, the process continues at step 58, where the computer receives product module information. Modules includes parts, plans, tools, diagnostic tests, or software that are included in the product or used to assemble the product.

[0028] At step 60, the computer receives option-to-module relationship information. Option-to-module relationship information includes relationships between product options and project modules. For example, the selection of an option may require one or more particular modules to be included in the production of the product. The combination of product option information, product module information, and relationship information provides the data necessary to create a Knowledge Map, as described in further detail below. Preferably, the receipt of information in steps 50, 52, 54, 58, and 60 includes a user entering the information using a keyboard and mouse, or other appropriate input mechanisms.

[0029] A computer system 402 formed in accordance with the invention for graphically displaying and storing product information is illustrated generally in FIGURE 4. The computer system 402 includes a graphical computer program 404 that runs on a central processing unit (CPU) 405 controlled by an operating system 406. A memory 408, connected to the CPU, generally comprises, for example, random access memory (RAM), read only memory (ROM), and magnetic storage media such as a hard drive, floppy disk, or magnetic tape. The CPU 405 may be housed within a personal computer, mini-computer, or a mainframe, as the benefits and functionality of the graphical computer program 404 may be implemented on a number of types of computers. In one actual embodiment of the invention, a graphical computer program formed in accordance with this invention runs on International Business Machine (IBM®) and IBM®-compatible personal computers. When used with IBM and IBM-compatible personal computers, the operating system 406 preferably utilizes a windowing environment, such as Microsoft Windows®, Microsoft Windows 95®, or Microsoft Windows NT®.

[0030] The graphical computer program 404 includes a user interface 410 that presents information to, and receives input from, an operator. The user interface is shown in functional form. In reality, it includes hardware (CRT display, keyboard, mouse, etc.) and software (high level graphical programs, such as Visio®, described below). Functionally, the user interface 410 includes a display workspace 412, a Knowledge Map palette 414, and a plurality of editors 416. The display workspace 412 displays graphical objects and is itself a graphical editor, permitting manipulation of displayed graphical objects, as described further below. The Knowledge Map palette 414 displays a palette of graphical objects, and allows an operator to select a particular type of graphical object for placement in the display workspace 412. Each type of graphical object has an associated editor 416 for editing data pertaining to a particular instance of a graphical object. The graphical object editors are discussed in further detail below.

[0031] One actual embodiment of the invention employs the Visio® 4.0 computer program, by Visio Corporation, of Seattle, WA, to provide the display workspace 412 and palette 414. The Visio® program provides a palette 414, referred to as a tool box, that includes a number of master shapes, such as boxes, diamonds, or arrows.

[0032] Using an input device, such as a mouse, an operator selects one of the master shapes and drags an icon representing the master shape from the Knowledge Map palette 414 to a particular location within the display workspace 412. The Visio® program then displays the selected master shape at the selected position. Visio® also provides tools to manipulate a shape once it has been placed in the display workspace 412.

[0033] The Visio 4.0 system utilizes an object-oriented paradigm. In such a paradigm, a particular shape drawn on the computer screen is a graphical object, having certain attributes that define the object. The master shapes represent classes of objects. When an operator selects a master shape, or object class, and a corresponding location on the computer screen, an object corresponding to an instance of the selected class is created and displayed graphically on the computer screen. Generic attributes of the object, such as size and color, are initialized to default values and may be subsequently modified by an operator.

[0034] In an object-oriented paradigm, a class is defined by its attributes. Objects, or instances, within the class include all class attributes. A subclass of a class may be defined, wherein the subclass "inherits" the attributes of the parent class. The inherited attribute values may be modified, or new attributes added to the subclass. An object of the

subclass correspondingly obtains the attributes of the subclass. Through "multiple inheritance," an object may be created that is a member of more than one class. Such an object obtains the attributes of all of its parent classes. A hierarchy including classes, subclasses, and objects is useful to organize and understand the numerous objects in a complex system.

[0035] The graphical computer program 404 also includes a graphical database 418 and an object database 420 for maintaining information pertaining to graphical objects and product information. The graphical database 418 maintains data pertaining to the graphical aspects of each object. This includes information such as the coordinates and dimensions of a graphical product object, formatting information of graphics and text, and graphical relationships between objects, such as which of two objects is displayed on top of the other object. The object database 420 maintains information pertaining to the products and options themselves, as described further below. As will be apparent to one skilled in this art, and others, the graphical database 418 and object database 420 can be combined into one database, or functionally divided in different ways. Visio[®] 4.0 includes a graphical database 418 that maintains coordinate, size, and formatting information for graphical objects.

[0036] The graphical computer program 404 further includes a constraint engine 422 for maintaining constraints, or limitations imposed on an operator manipulating the graphical product objects. These constraints include graphical constraints, such as whether a particular graphical object can be moved, resized, or reformatted. They also include product constraints, such as whether two particular types of graphical objects can be linked together. The particular constraints maintained and enforced by the constraint engine 422 are described in further detail below.

[0037] In accordance with the invention, the system illustrated in FIGURE 4 is used to create a Knowledge Map. A Knowledge Map is a graphical representation of product options, product modules, and the relationships between product options and product modules. It serves to document how options interact with other options when configuring a particular product. An option-to-option Knowledge Map is useful in the selection of options during the configuration of a product. An option-to-module Knowledge Map indicates the modules that must be included in the production of the product in order to achieve the selected configuration. A Knowledge Map comprises one or more sheets, each sheet describing a particular area of the Knowledge Map. FIGURE 6 illustrates a portion of a Knowledge Map displayed within the display workspace 412 on a Computer screen. FIGURES 7A-7E also illustrate portions of Knowledge Maps. Prior to discussing Knowledge Maps in detail, the hierarchy of elements that compose a Knowledge Map are discussed.

[0038] FIGURES 5A-B illustrate the class hierarchy 502 of the graphical objects that are used to create a Knowledge Map in accordance with the present invention. The rounded boxes in FIGURES 5A-B indicate classes of graphical objects selectable by an operator for placement on a Knowledge Map. The rectangular boxes indicate classes of graphical objects that are used to organize and show the relationship between graphical objects. FIGURES 7A-7E, which are exemplary portions of Knowledge Maps, illustrate Knowledge Maps containing the selectable objects of FIGURE 5A-B. Prior to discussing the objects in detail, a brief overview of the objects and their position within a class hierarchy is presented. At the top of the hierarchy 502 is the class of graphical objects 504 that are displayed and manipulated within the display workspace 412. Below the class of graphical objects are three subclasses. One subclass includes title block objects 506, another includes graphical product objects 508, and the third includes graphical relation objects 540. The title block objects 506 are objects that control the display of information contained in a Knowledge Map Sheet information block, such as the title of the sheet, the authors, and the dates the sheet was created. In one actual embodiment, the information block is located in the lower right corner of the Knowledge Map Sheet.

[0039] The class of graphical product objects 508 has two subclasses: a class of options 510 and a class of modules 514. The class of options 510 has three subclasses: a class of option attributes 512; a class of attribute driven options (ADOs) 518; and a class of default configuration items 526.

[0040] ADOs 518 are specific type of options. ADOs require that further selections be made before the option is given a complete option number. The further selections are the option attributes 512, which fully define the option. An option attribute can be associated with one or more ADOs. The default configuration items are default options that come into existence if no selection is made from a group of options containing a default configuration item.

[0041] An option object can be either a hard called-out option or a reference option. A hard called-out option represents a specific product option, selectable by a customer, that has a unique option number. The location of the hard called-out option is where the option is defined and all relationships between that option and other options are found. Each product option, as identified by an option number, can have no more than one corresponding hard called-out option on a Knowledge Map. Where a particular hard called-out option must be referred to on a page or sheet of a Knowledge Map other than the sheet where the particular instance is defined a reference option is used. A reference option contains information referring to a hard called-out option and is used to represent the hard called-out option. Each of the four types of options (option 510, ADO 518, option attribute 512, or default configuration item 526) must be either a reference option or a hard-called-out option. For example, an ADO must be either a reference ADO or a hard called-out ADO. All options must be hard called-out once.

[0042] The modules 514, represent sets, or packages, of parts, plans, tools, functional tests, inspections, or software that are to be included in the product or used to assemble the product when one or more associated options are

selected. The class of modules 514 has two subclasses: a class of dependent modules 530 and a class of independent modules 532. Dependent modules 530 include modules that have a relationship with two or more options, such that when the two or more options are selected, the use of an associated dependent module is required. Independent modules 532 include modules that are related to one or more options. An independent module is configured upon the selection of exactly one option. The use of dependent and independent modules is explained in ether detail below.

[0043] The class of graphical relation objects 540 is a class of objects that are used to define relationships between components, where a component is a graphical product object 508 or a group box containing two or more graphical product objects. The class of graphical relation objects 540 includes five subclasses: a class of group boxes 542; a class of logical relationships 544; a class of contingent relationships 550; a class of constraints 552; and a class of option-module relationships 554. Group boxes 542 combine graphical product objects 508 into groups. A group box 542 is represented graphically in FIGURES 7A-7D by a rectangle surrounding one or more of the graphical product objects 508 that comprise a group. A group box 542 can be nested within another group box 542. For example, in FIGURE 7A, group boxes 726, 736, and 746 are contained within group box 440.

[0044] Logical relationships 544 are represented graphically in FIGURES 7A-7D by a two-way arrow between two components. Logical relationships 544 define the logical relationship between the two components that it links. The class of logical relationships 544 includes two subclasses: a class of conjunctive relationships 546 and a class of disjunctive relationships 548. Disjunctive relationships 548 define a disjunctive, or "OR" relationship. The disjunctive relationship 548 represents an exclusive OR relationship between two components, where a component is graphical product object 508 or a group box 542 containing two or more graphical product objects. A selection of one component that is connected by a disjunctive relationship precludes the selection of all other components connected to the selected component by a disjunctive relationship.

[0045] Conjunctive relationships 546 define a conjunctive, or "AND" relationship between two components, where a component is graphical product object 508 or a group box 542 containing two or more graphical product objects. A selection of one component that is connected by a conjunctive relationship requires the selection of all other components connected to the selected component by a conjunctive relationship.

[0046] Contingent relationships 550 define a contingent relationship between two components, and are more fully discussed below. Constraints 552 represent an operator-defined constraint between two graphical product objects 508 or group boxes 542.

[0047] Option-module relationships 554 represent a required relationship between an option 510, or a group box enclosing at least one option, and a module 514. Options 510 (or group boxes 542) linked to a module 514 provide the information that a selection of the option (or group box) requires the inclusion of the linked module in the production of the final product. Option-module relationships include an identifier that corresponds to text on a Knowledge Map that explains the relationship.

[0048] An option-module relationship 554 can have an associated logical modifier 556 when used to indicate a requirement relationship with two or more options. A logical modifier 556 specifies a logical relationship between the connected options that must be satisfied in order for the connected module 514 to be required. The logical modifier 556 can be an "AND" box 558, an "OR" box 560, or an "XOR" box 562. An AND box 558 indicates that the connected module is required if all of the options connected to the AND box are selected. An OR box 560 indicates that the connected module is required if any one or more of the options connected to the OR box are selected. An XOR box 562 indicates that the connected module is required if exactly one of the options connected to the XOR box is selected. An option-module relationship 554 that has an associated logical modifier 556 is referred to as a logical option-module relationship. An option-module relationship 554 that does not have an associated logical modifier 556 is referred to as a non-logical option-module relationship. Use of the option-module relationship and associated logical modifiers is explained below.

[0049] The class hierarchy 502 of the graphical objects that are used to create a Knowledge Map illustrates the inheritance of object characteristics. Objects that are instantiated from subclasses of parent classes have the characteristics of an object of the parent class, unless specifically modified. In the discussion that follows, references to a particular object illustrated in the hierarchy of FIGURES 5A-B refer to the object, and all objects that are instantiated from its descendent subclasses, unless explicitly stated otherwise. For example, reference to an option 510 refers to an option attribute 512, an attribute driven option 518, and a default configuration item 526, as well as an option 510. Similarly, reference to a module 514 includes the dependent module 530 and the independent module 532.

[0050] FIGURE 6 is a pictorial representation of a portion of the user interface 410 (FIGURE 4) of the graphical computer program 404. The user interface 410 includes the pallet 414 containing the iconic representations of graphical objects that are selectable by an operator. The iconic representations include: an option icon 604; a dependent module icon 608; an independent module icon 610; a group box icon 612; an OR box icon 614; an AND box icon 616; a conjunctive relationship icon 618; a disjunctive relationship icon 620; two contingent relationship icons 622; plus other icons not relevant to this invention. The iconic representations within the pallet 414 are best discussed with reference to the class hierarchy illustrated in FIGURE 5.

[0051] The option icon 604 graphically represents an option object 510, which a user can specify to be either a hard called-out option or a reference option. The dependent module icon 608 graphically represents the dependent module 530. The independent module icon 610 graphically represents the independent module 532. The group box icon 612 graphically represents the group box 542. The OR box icon 614 graphically represents an OR box 560 modifier of an option-module relationship 554. The AND box icon 616 graphically represents an AND box 558 modifier of an option-module relationship 554. The conjunctive relationship icon 618 graphically represents the conjunctive (and) relationship 546. The disjunctive relationship icon 620 graphically represents the disjunctive relationship 548. As will be discussed further below, an editor can be used to enter information describing a logical relationship.

[0052] The display workspace 412 contains graphical representations of the objects selected by an operator and positioned within the display workspace 412. Depicted in the display workspace 412 of FIGURE 6 are several graphical representations, including graphical representations of three reference options 650a, 650b, and 650c. Two of the reference options 650a and 650b are linked by a disjunctive relationship 652. These two reference options 650a and 650b are also enclosed in a group box 654. The group enclosed by the group box 654 is linked to the third reference option 650c by a contingent relationship 656.

[0053] The contingent relationship 656 indicates that the acceptance of a customer selection of the contents of the group box 654 is contingent upon a selection of the third reference option 650c. That is, a selection of the contents of the group box 654 requires that a selection of the option 650c also be made. Note that the contingent relationship 656 is one-directional. It does not represent a restriction on the selection of the reference option object 650c. Since the first and second reference options 650a and 650b are linked by a disjunctive relationship, the selection of the contents of the group box 654 means that one and only one of the two reference options 650a and 650b can be selected.

[0054] A Knowledge Map of the type depicted in FIGURE 6 allows a customer to select one of the following combinations of product options: the first and third options 650a and 650c; the second and third options 650b and 650c; or the third option 650c. In particular, note that, as depicted, a customer cannot select both the first and second options 650a and 650b. Also, it is not necessary to select either option 650a or 650b in order to select the third option 650c. The use and interpretation of Knowledge Maps such as the one depicted in FIGURE 6 are discussed in greater detail below.

[0055] FIGURE 7A illustrates a portion of another exemplary option-to-option Knowledge Map 702. Hard called-out options 704 and 706 are represented as rectangles having a top rectangular portion 708 shaded black with the object title 709 "Option" printed in white. An option identifier 710 and an option name 712 is displayed beneath the title 709.

The "five minute takeoff" option 704 and the "ten minute takeoff" option 706 are linked by a logical relationship, in particular a disjunctive relationship 714. As discussed above, the disjunctive relationship 714 defines a relationship between two options or groupings of options such that either one of the options (or groupings) can be selected, but not both. The disjunctive relationship 714 depicted in FIGURE 7A indicates that a customer has a choice of either the "five minute takeoff" option 704 or the "ten minute takeoff" option 706, but not both. A group box 716 encloses option 704 and option 706. The text 718 at the top of the group box 716 describes the meaning of the group box 716.

[0056] When a disjunctive relationship links options, one of the options can be selected as the default. The default option represents the default selection if an operator does not make a selection. As depicted in FIGURE 7A, the marking 715 "Default" near the top left corner of the "five minute takeoff" option 704 indicates that option 704 is the default option if a customer does not make a selection between option 704 and option 706.

[0057] Reference options 720 and 722 are similarly linked by a disjunctive relationship 724. A group box 726 encloses options 720 and 722, and is labeled with a group box label 728. Reference options 730 and 732 are joined by a disjunctive relationship 734, and are enclosed by a group box 736.

[0058] A disjunctive relationship 738 links group boxes 726 and 736. The disjunctive relationship 738 represents a customer choice between the options enclosed within the group boxes 726 and 736. More specifically, a customer has a choice between group boxes 726 and 736. If the customer selects group 726, there remains a choice between options 720 and 722, the choice being designated by a disjunctive relationship 724. If the customer selects group box 736, there remains a choice between options 730 and 732, the choice being designated by a disjunctive relationship 734. The result is that a customer has a choice of at most one option among the options 720, 722, 730, and 732. These options, and the group boxes 726 and 736 are enclosed by a group box 740 having a label 742 that comprises the text "Engine Options." The configuration contained within group box 740 represents the product information that a customer has a choice of at most one engine option.

[0059] A contingent relationship 550 (FIGURE 5) defines a contingent relationship between two components, wherein a component can be either a graphical product object 508 or a group box 542 containing one or more graphical product objects. The contingent relationship 550 is represented as a one-directional arrow connecting the two components and pointing toward the "independent" component. The component away from which the contingent relationship arrow points is the dependent component. A contingent relationship 550 represents the information that the selection of the dependent component is contingent upon, or requires, the selection of the independent component. The converse is not true. That is, a selection of the independent component does not require that a selection of the dependent component be made. In FIGURE 7A, a contingent relationship 744 links option 706 and group box 740. As depicted in FIG-

URE 7A, the contingent relationship 744 represents the information that the selection of the "ten minute takeoff" option 706 (the dependent component) is contingent upon the selection of an option within the "engine options" group box 740 (the independent component). More specifically, option 706 cannot be selected unless an option in group box 740, as discussed above, is selected.

5 [0060] As shown in FIGURES 5A and 5B, and described above, disjunctive relationships 548 and contingent relationships 550 are used to represent relationships between two graphical objects 504. As illustrated in FIGURE 7A, and as described above, a graphical object that is joined by a relationship object can be either an option (i.e., option 706), or a group box (i.e., group box 740) containing one or more options. Group boxes and relationships can be nested to any level. As illustrated in FIGURE 7A, group boxes 726, 736 are contained within the "engine options" group box 740.

10 Within a group box that is a component of a relationship, further relationships may exist. Group boxes may also overlap. Group box 746 encloses options 722 and 732, which are enclosed by group boxes 726 and 736, respectively. Group box 746 is used as a component in another relationship, linked by a contingent relationship 748. The contingent relationship 748 links an option 750 with the group box 746. Option 750 is also linked with another option 752 by a disjunctive relationship 754. Options 750 and 752 lie within a group box 756.

15 [0061] A graphical relation 540 can link two components, regardless of the components' position in a nested relationship. For example, as depicted in FIGURE 7A, contingent relationship 748 presents the information that a selection of the option 750 is contingent upon the selection of an option within the group 746. The existence of the option 750 within a group box 756 is not significant in determining the relationship represented by contingent relationship 748. Also, as depicted, the option 750 is contingent only upon the group represented by the group box 746, even though the contingent relationship 748 crosses the boundary of the group box 740.

20 [0062] The depicted group box 740 includes an indicator symbol 760 that represents the information that a selection from the group 740 is mandatory. In one actual embodiment of the invention, the letter "M" is used as the indicator symbol 760. A group box having the mandatory indicator symbol 760 must be selected by a customer when configuring the product for a complete product definition.

25 [0063] The Knowledge Map of FIGURE 7A represents the following information regarding the selection of options to configure a commercial aircraft. A customer can select a takeoff thrust rating option, which is represented by the group box 716. This selection must be a choice between a five minute takeoff thrust rating (option 708) or a ten minute takeoff thrust rating (option 706).

[0064] The selection of the ten minute takeoff thrust rating is contingent upon, and therefore requires, a selection of an engine option (group box 742). As indicated by the "mandatory" symbol 760, the selection of an engine option is required even if the ten minute takeoff thrust rating is not selected. The selection of an engine option requires the selection of either a Pratt and Whitney (PW) engine option (group box 728) or a Rolls Royce (RR) engine option (group box 736). A PW engine option can be either a PW2037 engine (option 720) or a PW2040 engine (option 722). An RR engine option can be either an RB211-535E4-B engine (option 730) or an RB211-535E4 engine (option 732).

35 [0065] A customer can also select an option for airport altitude certification (group box 756). Within this selection, a certification of up to 8,400 feet (option 752) is the default, if a selection is not explicitly made. If the alternative option, of a certification up to 9,500 feet (option 750) is selected, the customer must also select an engine capable of high altitudes, as represented by the group box 746. The contingent relationship 748 expresses this requirement.

[0066] Note that the contingent relationships 744 and 748 are one-directional. A customer may select a high altitude engine without selecting a high altitude certification or a ten minute takeoff thrust rating.

40 [0067] In FIGURE 7A, options 704, 706, 750, and 752 are hard called-out options. Options 720, 722, 730, and 732 are reference options. Preferably, reference options are distinguished visually from hard called-out options. As depicted in FIGURE 7A, the reference options 720, 722, 730, and 732 include rectangular shaded areas 758 at the bottom of the rectangles representing the options, with the text 759 therein displayed in white. The text includes the drawing number on which the referenced option appears as a hard called-out option.

45 [0068] A constraint relationship links two graphical product objects or group boxes. FIGURE 7B illustrates a constraint relationship 768, graphically represented as an arrow with a pointer at one end. A constraint relationship depicts a limiting factor, or consuming requirement, between two product objects or group boxes. A constraint relationship 768 has an associated identifier 766 that corresponds to text 767 explaining the constraint. The text 767 explanation does not need to explain the reason for constraint, but preferably provides the precise constraining rule between the two objects.

50 As depicted in FIGURE 7B, the 500W electrical power option 761 is connected by the constraint relationship 768 to a "galley options" group box 762. The galley options group box 762 includes a 100W galley option 763 and a 300W galley option 764, which are connected by a disjunctive relationship 765. The 100W galley option 763 requires 100 watts of power. The 300W galley option 764 requires 300 watts of power. A constraint relationship text 767 that explains the constraint 768 between the galley options group box 762 and the 500W power option 761 may provide the following text:

55 "Power required for galley option \leq power available." During configuration, the configuration software then subtracts 100W or 300W, depending on the galley option selected, from the 500W power supply option 761, leaving 400W or 200W for other options requiring power. If the result is less than zero, then either an error message is displayed or

another power supply must be brought into the system.

[0069] FIGURE 7C illustrates an exemplary option-to-option Knowledge Map containing an attribute driven option (ADO) 770 and three option attributes 771a, 771b and 771c. The ADO 770 includes an indicator 772d, depicted as an "M," representing the information that the ADO is mandatory. A mandatory option is an option that is required to be selected in order to complete the product configuration. As depicted in FIGURE 7C, the ADO 770 representing airplane identification numbers is a mandatory option.

[0070] A contingent relationship 773, graphically represented as an arrow with a pointer at one end, represents the information that the ADO 770 is contingent upon the selection of options within a group box 774. The group box 774 contains the three option attributes 771a, 771b and 771c. The option attributes 771a, 771b and 771c are linked to each other by conjunctive relationship operators 775a and 775b, indicating that a selection within the group box 774 requires a selection of all three option attributes 771a, 771b and 771c. As depicted by the indicators 772a, 772b and 772c, the three option attributes 771a, 771b and 771c are mandatory. The portion of the Knowledge Map depicted in FIGURE 7C represents the information that a complete commercial airplane product requires the selection of the ADO 770 representing airplane identification numbers. The selection of the airplane identification numbers is contingent on the selection of three components of the airplane identification numbers represented by the option attributes 771a, 771b and 771c, namely a purchase agreement number, a registry number and a manufacturers serial number. A contingent relationship 773 can have a text explanation associated with it (not shown) that explains the reason for the contingency.

[0071] FIGURE 7D illustrates a portion of an exemplary option-to-module Knowledge Map formed in accordance with the invention. A "24-ply tires" independent module 776 is connected by an option-module relationship 790 to a "minor model" option 778 and a "maximum landing weights" group box 788. The option-module relationship 790 is modified by a conjunction box, specifically an OR box 779. The Knowledge Map depicted in FIGURE 7D designates the information that if the "minor model" option 778 is selected, or if the "maximum landing weights" group box 788 is selected, the "24-ply tires" module 776 must be included in the product. A relationship identifier 781 between the OR box 779 and the "minor model" option 778 corresponds to text 793a that explains the reason for the requirement with regard to the "minor model" option 778. A second relationship identifier 791, corresponding to text 793b, explains the reason for the requirement with respect to the group box 788.

[0072] Within the group box 788, two options 782 and 784 are linked by a disjunctive relationship 786. This portion of the Knowledge Map represents the information that if either one of the options 782 or 784 are selected, then the independent module 776 must be included in the production of the product. The module 776 is considered to be independent because its inclusion in the final product is required if exactly one associated option (782, 784, or 778) is selected. As depicted, the relationship identifiers 781 and 791 are different, and therefore have different corresponding text explanations 793a and 793b. In accordance to constraints explained in further detail below, it is possible for two or more relationship identifiers 781 and 791 to have the same associated explanatory text 793.

[0073] The disjunctive relationship 786 specifies a relationship between the "maximum landing weight" option 782 and the "increase maximum landing weight" option 784. Specifically, the disjunctive relationship 786 indicates that, in order to select the "maximum landing weights" group box 788, only one of the options 782 or 784 must be selected. Both options 782 and 784 may not be selected at the same time. Contrasted with this relationship, the OR box 779 does not specify a relationship between the "minor model" option 778 and the "maximum landing weights" group box 788. It is valid for a product configuration to include the selection of both the "minor model" option 778 and the "maximum landing weights" group box 788. The OR box 779 modifies the option-module relationship 790, but indicates no relationship between options or group boxes.

[0074] FIGURE 7E illustrates a portion of an exemplary option-to-module Knowledge Map including a dependent module 792, representing a "Pratt and Whitney hydraulic pump," that is associated with two options: An "engine driven hydraulic pump" option 794 and a "Pratt and Whitney engines" option 796. The options 794 and 796 are linked to the dependent module 792 by an option-module relationship 798 that is modified by an AND box 797.

[0075] As depicted, the option-module relationship 798 together with the AND box 797 indicates that if the options 794 and 796 are both selected, then the dependent module 792 must be included in the production of the final product. If only one of the options 794 or 796 is selected, then the dependent module 792 is not included in the production of the final product. Only the selection of both options 794 and 796 creates the requirement that the dependent module 792 be included in the product. Unlike the conjunctive relationships 775a-b in FIGURE 7C, the AND box 797 does not create a relationship between the options 794 and 796 it connects. It is valid for only one of the connected options 794 or 796 to be selected without the selection of the other option. The module 792 is considered to be a dependent module because its inclusion in the final product is required only if more than one associated options are selected. As depicted, the option-module relationship 798 includes a relationship identifier 799 having a corresponding explanatory text 795. As depicted in FIGURE 7E, when a relationship identifier describes the relationship between a module and each of the options connected by an option-to-module relationship 798, the relationship identifier 799 can be positioned between the logical modifier and the module. This is contrasted with the use of two relationship identifiers 781 and 791 (FIGURE 7D) positioned between the logical modifier and the option or group box corresponding to the relationship identifier.

where the corresponding explanatory texts 793a-b differ.

[0076] FIGURE 8 is a flow diagram illustrating the process 802 of creating and editing graphical objects in accordance with the invention. At step 804, a palette 414 (FIGURES 1 and 3) containing iconic representations of graphical objects 15 displayed. When an operator (i.e., a user) selects one of the graphical objects represented on the palette, at step 806, the operator's selection is input. The operator then indicates a position in the display workspace 412 (FIGURES 1 and 3) where the graphical object is to be located. At box 808, the coordinate positions of the selected object are input. In one actual embodiment of the invention, the specification of a position on the display workspace 412 is performed by clicking a button on a mouse when the cursor is above the graphical object selected from the palette, moving the cursor to the precise coordinates in the display workspace 412 by dragging the mouse, and releasing the mouse button at the desired position. As a result of the input selection of a graphical object (step 806) and the input of the selected object's coordinates (step 808), at step 810, a representation of the graphical object is displayed in the display area 412. As will be readily understood by one skilled in this art, and others, a number of different means of specifying coordinate positions on a display space exist that are functional for placing a graphical object on a display space. Thus, description of using a mouse to select and drag an iconic representation of a graphical object should be considered exemplary, and not limiting.

[0077] Once the graphical object 504 is displayed, at step 812, the computer program 404 maintains constraints regarding the graphical object. These include constraints such as limiting the manipulation of the graphical object by the operator. For example, when the graphical object 504 is displayed, predetermined sizes are employed. A graphical product object 508 has a predetermined length along the x axis, and a predetermined height along the y axis. The constraint engine 422 (FIGURE 4) prevents an operator from modifying the ratio of the graphical product object 508 length to its height, the length of the graphical product object, or the height of the graphical product object 508. In addition, a graphical product object 508, as illustrated in FIGURES 7A-7E, includes at least two graphical elements, each of the graphical elements having a predetermined length and height. The constraint engine 422 prevents an operator from separating the graphical elements of a graphical product object 508, removing a graphical element from a graphical product object, or modifying the size of any element of a graphical product object. These constraints operate to maintain predefined visual standards pertaining to a Knowledge Map, and thereby improve their ability to convey information. The constraint engine 422 also prevents an operator from directly modifying the text within any graphical object 504. An operator can only modify the text within a graphical object by the use of the editors 416, as described below. The constraint engine 422 prevents an operator from directly modifying, deleting, or adding text to a graphical object. The constraints are discussed in further detail below.

[0078] At step 814, an editor 416 corresponding to the type of graphical object is invoked. In one actual embodiment, the editor is invoked in response to an operator double clicking on the mouse button when a cursor is over a graphical object. Alternatively, an editor can be invoked as a result of a command selection from a menu, or as a result of a keyboard command. Details of the functioning of the editors 416 are explained below. After the editing is completed, the corresponding graphical object is updated. At step 816, a test is made to determine whether the operator has made another palette selection. If another palette selection is made, flow returns back to box 806. If no more palette selections are made, at step 818, a validation of syntactic rules is performed. At step 820, a validation of syntactic rules is performed. Explanations of the syntactic rules and semantic rules are provided below.

[0079] FIGURE 9 illustrates a title block editor 902, which interfaces with an operator to allow entering or modification of title block 506 information. In a conventional manner when a cursor is moved to one of the hereinafter described boxes, the operator is allowed to enter information into, or edit previously entered information in the box. An edit box 904 accepts input from the keyboard, specifically input that specifies an author's name. A corresponding edit box 906 accepts the date of the drawing as input. Edit box 908 receives input of the name of a person who checked the accuracy of the drawing. A corresponding box 910 receives input of the corresponding date. Edit boxes 912 accept input of engineers' names, and corresponding edit boxes 914 accept input of the corresponding dates. Edit box 916 accepts input of the name of a person who approved the Knowledge Map. Edit box 918 accepts input of the corresponding date of approval.

[0080] A pair of radio buttons 920, 922 allows an operator to select the Knowledge Map type. A radio button 920 represents an option-to-option map selection, and a radio button 922 selects an option-to-module map. While one button must be selected, the radio buttons 920, 922 are coordinated, so that only one of the pair can be selected. An edit box 924, which includes a vertical scroll bar 926, accepts input of the title of the Knowledge Map.

[0081] An edit box 928 accepts input of a drawing number. In accordance with the invention, the computer program verifies that the drawing number entered by an operator matches a predetermined format. In one actual embodiment of the invention, for example, the format of the drawing number is "KMXXXXYZZZ," where:

XXXX represents a four-digit number;

Y represents a letter indicative of a product model; and

ZZZZ represents a four-digit serial number.

In this actual embodiment, the first two letters of the drawing number must be "KM." When an operator, by selecting an "OK" button 938, requests that the computer program 404 accept all the information entered in the title block editor, the program 404 automatically verifies that the drawing number is syntactically correct. If the drawing number entered is incorrect or missing, an error message (not shown) is displayed indicating that the drawing number is invalid.

5 [0082] An edit box 930 accepts input of a sheet number. An edit box 932 accepts a revision number. An edit box 934 accepts input of a group organization. A drop-down list box 936 allows the selection of a drawing status from a list of predetermined status options. The "OK" button 938 accepts entry of the information entered in the title block editor 902. A "cancel" button 940 cancels the information that was entered by the operator during the current session of the title block editor. Finally, a help message box 942 displays messages to assist the operator in completing the title block editor. Preferably, when the cursor is moved over one of the controls, corresponding informational text is displayed in the help message box 942.

10 [0083] FIGURE 10 illustrates an exemplary option editor window 1002, for editing the attributes of an option 510. An edit box 1004 accepts input of an option number. The option number is a number that uniquely identifies the option, and corresponds to option information stored in a database 420 (FIGURE 4), discussed in more detail below. The edit box 15 1004 operates in conjunction with a list box 1006, which lists all of the available option numbers. The list box 1006 is populated after retrieving a list of available options from the database. When an operator selects an available option in the option list box 1006, the option number is automatically inserted in the option edit box 1004. Alternatively, the operator can directly enter an option number in the option edit box 1004. Each available option has a corresponding option title and description stored in the database. When an available option is selected, the corresponding option title is automatically displayed in an option title edit box 1008, and the option description is displayed in an option description edit box 1011. Preferably, the option title edit box 1008 and the option description edit box 1011 include scroll bars 1009 and 1013, respectively, for vertical scrolling.

20 [0084] As discussed above, an option can be one of four option types: an option attribute, an attribute driven option (ADO), an option specified as a default configuration item, or an option that is none of these types. The option type selection box 1010 contains four radio buttons corresponding to the four option types. Radio button 1014 corresponds to an option attribute type. Radio button 1016 corresponds to an attribute driven option (ADO). Radio button 1018 corresponds to a default configuration item (DCI). Radio button 1012 corresponds to an option that is not an option attribute, an ADO or a DCI. One of these radio buttons must be selected, and only one can be selected at a time.

25 [0085] Radio buttons 1020 and 1022 are used to indicate whether the option is a reference option (button 1020), or a hard called-out option (button 1022). A selection box 1024 is used to indicate whether the option is discretionary or mandatory. A radio button 1026 corresponds to a discretionary option, and a radio button 1028 corresponds to a mandatory option, as explained above with reference to FIGURE 7C.

30 [0086] A reference information block 1030 displays information pertaining to reference options. When a reference option is specified, the corresponding reference number is displayed in a display box 1032, and the corresponding sheet number is displayed in a display box 1034. The reference number and sheet number are retrieved for the specified option number from the database and automatically displayed in the reference information block 1030.

35 [0087] A help box 1036 near the bottom of the option editor window 1002 automatically displays information describing each of the controls in the option editor. When the cursor is moved over one of the controls, corresponding informational text is displayed in the help information box 1036.

40 [0088] A "Cancel" button 1038 is used by an operator to cancel all entries and changes made during the current invocation of the option editor. An "OK" button 1040 is used to accept all edits and changes that have been made. After an operator selects the OK button 1040, the computer program 404 automatically updates the corresponding graphical option object 510 in accordance with the specifications entered in the option editor 1002.

45 [0089] FIGURE 11 illustrates the process 1102 of entering and modifying information in the option editor 1002. The computer program, in accordance with the invention, prevents the invocation of the option editor until a drawing title has been entered, as discussed above with reference to the title block editor 902 (FIGURE 9). Thus, upon invocation of the option editor (box 814 of FIGURE 8), a test is made, at step 1104, to determine whether a drawing title has been entered. If a title has not been entered, at step 1105, an appropriate message is displayed, and the option editor exits. If a title has been entered, the process proceeds to step 1106, where a list of options is retrieved from the database 420 (FIGURE 4) and displayed in the available option list box 1006. At step 1108, the program receives input from the operator specifying the option number or identifier, as discussed above. If an option number is entered directly in the option number edit box 1004, rather than being selected from the available option list box 1006, a test is made at step 1110 to determine whether the entered option exists in the database 420. If the option does not exist in the database, at step 1112 a warning is displayed to the operator. At step 1114, the program accepts operator input of the option title in the option title edit box 1008. At step 1116, the program accepts operator input of the option description in the option description edit box 1011.

55 [0090] At step 1118, the program accepts operator input of the option type, in the option type selection box 1010. At step 1120, the program accepts operator input of whether the option is a reference option (button 1020), or a hard

called-out option (button 1022). At step 1122, a test is made of whether reference option has been selected. If reference option has been selected, at step 1124, the reference number and sheet number corresponding to the selected option number is retrieved from the database and displayed in the reference number display box 1032 and the sheet number display box 1034, respectively.

5 [0091] At step 1126, the program receives operator input, in the discretionary/mandatory box 1024, of whether the option is discretionary or mandatory. When the operator selects the OK button 1040, at box 1128, the information entered in the option editor is stored in the database 420 with references to the corresponding option object 510. At step 1130, the option object is modified according to the input information. As will be apparent to one skilled in this art, and others, the specific controls used in the option editor 1002, and the steps described in the process 1102 of entering information in the option editor can be modified while remaining within the scope of the invention. The display of the option editor 1002 and the corresponding process 1102 should be considered exemplary, and not limiting.

10 [0092] FIGURE 12 illustrates an exemplary logical relationship editor window 1202, operative for displaying information and allowing editing of information pertaining to a logical relationship object 544 (FIGURE 5). The logical relationship editor window 1202 is displayed when a logical relationship object 544 has been created, and its editor invoked (box 814 of FIGURE 8). As illustrated in FIGURE 6, a Knowledge Map palette 414 includes two icons representing logical relationship objects. One icon 614 represents a conjunctive relationship object 546 and one icon 616 represents a disjunctive relationship object 548 (FIGURE 5). Invocation of the corresponding editor for either graphical object displays the logical relationship editor window 1202. The type of logical relationship object 544 is displayed in the title 1204 of the editor window. The logical relationship editor 1202 depicted in FIGURE 12 corresponds to a conjunctive relationship object 548. A help box 1210 displays text that explains the functioning of the controls within the editor window 1202, when the cursor is positioned over one of them. A description edit box 1212 allows an operator to enter text that explains the relationship represented by the logical relationship object 544. Preferably, the description edit box 1212 includes a vertical scroll bar 1214.

25 [0093] The logical relationship editor further includes a "Cancel" button 1216 and an OK button 1218 operative for canceling the current edits in the logical relationship editor, or for accepting the current edits, respectively. A logical relationship editor for entering information pertaining to a disjunctive relationship object is similar to the editor depicted in FIGURE 12, except that the title indicates the disjunctive relationship.

30 [0094] FIGURE 13 illustrates the process 1302 of creating and editing a logical relationship object 544. As discussed above with regard to FIGURE 8 (blocks 806 to 810), a logical relationship object is created and positioned in the display workspace 412 (FIGURE 6). The logical relationship editor 1202 is then invoked (see 814, FIGURE 8). At step 1310, a description of the relationship is input in description edit box 1212. At step 1312, the information entered by an operator is stored in the database and associated with the logical relationship object 544.

[0095] After the OK button 1218 is selected by the operator at step 1314, the relationship object editor window 1202 is closed, the associated logical relationship object 544 is displayed, and the corresponding description is stored.

35 [0096] FIGURE 14 illustrates a contingent line editor 1402, operative for editing information pertaining to a contingent relationship object 550 (FIGURE 5). Description edit box 1404 accepts, from the operator, input of a contingent line number and associated explanation. A help box 1406 provides pertaining to the control on the contingent line editor over which the cursor is currently displayed. A "Cancel" button 1408 is operative for canceling the information entered during the current invocation of the contingent line editor 1402. An OK button 1410 is operative for entering the new information in the database associated with the currently selected contingent relationship object 550.

40 [0097] FIGURE 15 illustrates a group box editor window 1502, operative for modifying the characteristics of a group box object 542 (FIGURE 5). A group title edit box 1504 accepts text describing the title of the group. The title position control area 1506 accepts input that instructs the program where to locate the group title. Five radio buttons provide five choices for the title position: a "top left" radio button 1508, a "top center" radio button 1510, a "top right" radio button 1512, a "bottom left" radio button 1514, and a "bottom center" radio button 1516 specify that the group title is to be positioned at the specified location. A group description edit box 1518, preferably having a scroll bar 1520 is operative for accepting input text that describes the group. A group differentiation control area 1522 provides a selection of the appearance of the group box 542. The radio buttons that are provided to allow selection of a group box appearance are as follows: "normal solid line" 1524, "thick solid line" 1526, "normal dash line" 1528, "thick dash line" 1530, and "shaded" 1532.

50 [0098] A group type control area 1534 provides a selection of one of two group types. A "category" radio button 1536 specifies that the group is at a top level grouping of option category. A "subfunctionality" radio button 1538 specifies that the group box is nested within a category group. The objects within a subfunctionality group share at least one attribute that is not shared by the other objects within the same category group.

55 [0099] A discretionary/mandatory control area 1540 provides a choice of whether the group box is discretionary or mandatory. A "discretionary" radio button 1542 is functional for indicating that the group box is discretionary. A "mandatory" radio button 1544 is functional for indicating that the group box is mandatory. As discussed above, a mandatory group box indicates that at least one option within the group box must be selected.

[0100] A help box 1546 displays text describing each of the controls within the group box editor window 1502, as the cursor is placed above each of the controls. A "Cancel" button 1548 is operative to cancel all the information entered during the current invocation of the group box editor window 1502. An OK button 1550 is operative to accept all input entered during the current invocation of the group box editor window 1502.

5 [0101] FIGURE 16 illustrates the process 1602 of creating a group box and editing the characteristics of the group box. As discussed above with regard to FIGURE 8 (blocks 806 to 810), the group box is created and positioned in the display workspace 412 (FIGURE 1). The group box editor 1502 is then invoked. (See block 814, FIGURE 8.) At step 1606, input is received in the group title edit box 1504. At step 1608, the textual input of the group description is received in the group description edit box 1518. At step 1610, the selection of a group type 1534 is received. At step 1612, the selection of whether the group box is discretionary or mandatory is received. At step 1614, a specification of the title position 1506 is received from the operator. At step 1616, the specification of the group differentiation characteristic, as entered in the group differentiation area 1522, is received. After receiving a selection of the OK button 1550, the group box editor 1502 is closed, and the associated group box object is modified and displayed according to the input selections, at step 1618.

15 [0102] Prior to acceptance of a Knowledge Map, the constraint engine 422 (FIGURE 4) performs a number of tests to verify that constraints are satisfied. FIGURES 17A and 17B illustrate the process 1702 of verifying that all constraints are satisfied. At step 1704, the spelling of the text within each object is verified for correctness. At step 1706, the constraint engine verifies that the proper synoptic data is stored with each object. Synoptic data refers to the data that specifies an object's position on a Knowledge Map and the object's relationship to other objects. These include location coordinates and relationship links.

20 [0103] At step 1708, the constraint engine 422 verifies that proper syntactic data is stored with each object. Syntactic data refers to the data for each field within an object. Specifically, the constraint engine verifies that all required fields have an associated value.

25 [0104] At step 1710, the constraint engine 422 verifies that the identifier corresponding to each option on the Knowledge Map exists within the option database. At step 1712, the constraint engine verifies that the identifier corresponding to each module 514 on the Knowledge Map exists within the module database. At step 1714, the constraint engine verifies that all required fields within the title block 506 contain data.

[0105] At step 1716, the constraint engine verifies that each contingent relationship 550 or constraint relationship 552 has an associated explanation. At step 1718, the constraint engine verifies that each relationship explanation has at least one associated contingent relationship 550, constraint relationship 552, or option-module relationship.

30 [0106] At step 1720, the constraint engine verifies that all graphical objects on the Knowledge Map have been created by the use of the Knowledge Map palette 414. At step 1722, the constraint engine verifies that no more than one option having identical identification numbers 710 exists on a Knowledge Map sheet. In other words, only one hard called-out option or one reference option corresponding to any identification number 720 may exist on a single Knowledge Map sheet. At step 1724, the constraint engine verifies that no more than one module having identical identification numbers can exist on one Knowledge Map.

35 [0107] At step 1726, the constraint engine verifies that each independent module 514 is part of a relationship with either one option or a group of options having conjunctive relationships between them. At step 1728, the constraint engine verifies that each dependent module 530 has a relationship with two or more option. At step 1730, the constraint engine verifies that the title block has a predetermined and fixed size and position, and that it has not been moved, deleted, or resized.

40 [0108] After a Knowledge Map is created and displayed, in accordance with the invention, the computer system automatically retrieves rules-based information that has been stored during the process of creating a Knowledge Map, and generates a set of rules for each option or module, as illustrated in step 30 FIGURE 1). FIGURE 18A illustrates in further detail a portion of the step 30 of retrieving rules-based information and generating rules in a form that can be used as input to a rules-based program. FIGURE 18A illustrates a process 1802 of retrieving information pertaining to one module within the Knowledge Map and the corresponding generation of a rule pertaining to the module. At step 1804, the mechanism of the invention initializes a rule to Null. As discussed in further detail below, the process 1802 of generating a rule corresponding to a module operates by successively appending elements to the rule.

45 [0109] At step 1806, the next module of the Knowledge Map is retrieved. The first time the process 1802 is performed for a Knowledge Map, the module retrieved at step 1806 is the first module. The retrieved module is referred to herein as the "current" module. At step 1808, an option-module relationship connected to the current module is retrieved.

50 [0110] At step 1810, a test is made to determine whether the option-module relationship retrieved at step 1808 has a logical modifier. If the relationship has a logical modifier, as represented by a conjunction box, flow proceeds to step 1812, where the mechanism of the invention processes the logical option-module relationship represented by the conjunction box. The processing of step 1812 is illustrated in FIGURE 18B, and explained below.

55 [0111] If, at step 1810, the retrieved option-module relationship does not have a logical modifier, flow proceeds to step 1814. At step 1814, the mechanism of the invention processes the option-module relationship without a logical modifier.

The step 1814 of processing an option-module relationship is illustrated in FIGURE 18C, and explained below.

[0112] The step 1812 of processing a logical option-module relationship and the step 1814 of processing an option-module relationship produce one or more rule elements that are appended to the current rule. Following step 1812 or step 1814, flow control proceeds to step 1816, to determine whether another unprocessed option-module relationship is connected to the current module. If another relationship exists, at step 1818, the text string "AND" is appended to the current rule. Flow then returns to step 1806, to retrieve the next option-module relationship connected to the current module, and process it as discussed above. At step 1816, if no more option-module relationships are connected to the current module, the rule is complete for the current module. The process 1802 of creating a rule corresponding to a module is performed for each module in the Knowledge Map, resulting in a complete set of rules.

[0113] FIGURE 18B illustrates in further detail the step 1812 of processing a logical option-module relationship connected to the current module, during rule creation. At step 1820, the mechanism of the invention retrieves all options or group boxes that are connected to the conjunction box modifying the option-module relationship. At step 1822, rule elements are appended to the current rule as follows:

$$\text{Rule} = (\text{Rule}) \text{OPT}_1 (\text{rel}) \text{OPT}_2 (\text{rel}) \dots \text{OPT}_m (\text{rel}) \text{GRP}_n$$

Where (rel) is the logical relationship specified in the conjunction box, and GRP_m is a group box connected to the conjunction box. Zero, one, or more group boxes can be connected to the conjunction box. To simplify FIGURE 18B and this discussion, the process of creating a rule is explained with reference to only one group box. As should be apparent to one skilled in the art of computer programming, and others, this process can easily be extended to allow for a plurality of group boxes.

[0114] For example, in FIGURE 7D, when the 24-ply tires module 776 is the current module retrieved at step 1806, the option-module relationship modified by the "OR" conjunction box 779 is retrieved at step 1808. Since the retrieved relationship includes a logical modifier, the process flow proceeds to step 1812.

[0115] Returning to FIGURE 18B, at step 1820, the "minor model" option 778 and the "maximum landing weights" group box 788 are retrieved. At step 1822, the current rule is modified to:

$$0110-000016 \text{ OR (Group Box 788)}$$

[0116] Where "0110-000016" is the option identifier for the "minor model" option 778.

[0117] Continuing with the explanation of FIGURE 18B, at step 1824, a test is made to determine whether any group boxes were found at step 1820. If a group box is found, flow proceeds to step 1826, where all options within the group box are retrieved. At step 1828, the logical relationship between options within the group box is retrieved. Preferably, the method of the invention includes a restriction that all options within a group box must be connected by the same type of logical relationship. If different types of logical relationships are desired, this can be handled by nesting group boxes, such that all logical relationships within any one group box are of the same type. Alternatively, different logical relationships can be combined within a single group box.

[0118] At step 1830, the rule segment, " $(\text{OPT}_1 (\text{rel}) \text{OPT}_2 (\text{rel}) \dots \text{OPT}_n)$ " is substituted for "GRP" in the rule formed at step 1822. Process flow then proceeds to step 1816 in FIGURE 18A. If, at step 1824, there are no group boxes found, flow proceeds to step 1816 in FIGURE 18A.

[0119] Returning to the above-described example referring to FIGURE 7D, at step 1826, the "198,000 lbs." option 782 and the "increase maximum landing weight" option 784 are retrieved. At step 1828, the disjunctive relationship 486 is retrieved. At step 1830, the string "(0315-000025 OR 0315-000026)" is substituted for (Group Box 788) in the current rule, resulting in the rule:

$$0110-000016 \text{ OR (0315-000025 OR 0315-000026)}$$

[0120] where "0315-000025" is the option identifier for the "198,000 lbs." option 782, and the "0315-000026" is the option identifier for the "increase maximum landing weight" option 784.

[0121] The process flow then continues at step 1816, where it is determined that no additional relationships are connected to the current module. The rule for the "24-ply tires" module 776 is complete.

[0122] FIGURE 18C illustrates in further detail the step 1814 of processing a non-logical option-module relationship. At step 1832, a test is made to determine whether the option-module relationship retrieved at step 1808 is connected to a group box or a single option. If the option-module relationship is connected to a single option, flow control proceeds to step 1834. At step 1834, the option connected to the option-module relationship is appended to the current rule. After step 1828, the processing of the current option-module relationship is completed.

[0123] If, at step 1832, the retrieved option-module relationship is connected to a group box, flow proceeds to step 1836. At step 1836, the mechanism of the invention retrieves all options within the connected group box. For example,

FIGURE 19 illustrates a portion of the Knowledge Map depicted in FIGURE 7D, revised to exclude the "minor model" option 778, and therefore excluding the OR conjunction box 779. As depicted in FIGURE 19, an option-module relationship 1904 connects the "24-ply tires" module 776 with the "maximum landing weights" group box 788. The group box 788 includes the "maximum landing weight" option 782 and the "increase maximum landing weight" option 784, which are connected by a disjunctive relationship 786. At step 1836 (FIGURE 18C), the "maximum landing weight" option 782 and the "increase maximum landing weight" option 784 are retrieved.

[0124] At step 1838, the mechanism of the invention retrieves the logical relationship that exists between the options in the group box. As depicted in FIGURE 19, the logical relationship is a disjunctive (OR) relationship 786. At step 1840, the rule elements

OPT₁ (rel) OPT₂ (rel) ... OPT_n

where (rel) is the logical relationship retrieved at step 1838, are appended to the current rule. As depicted in FIGURE 19, the current rule becomes:

0315-000025 OR 0315-000026

[0125] The group box depicted in FIGURE 19 contains two options. It is also possible that a group box connected to a relationship, and processed according to step 1814, contains one or more nested group boxes. It should be apparent to one skilled in the art of computer programming, and others, that the step 1814 of processing an option-module relationship, as illustrated in FIGURE 18C, can be modified to recursively retrieve all nested group boxes and options, and create a rule, in accordance with the process of the invention as described herein.

[0126] FIGURE 20 illustrates a portion of the step 34 (FIGURE 1) of retrieving object-based information and generating object-based data for use in creating an object-based program. FIGURE 20 illustrates the portion of the step 34 pertaining to the production of object-based data corresponding to one group box and its nested group boxes on a Knowledge Map. At step 2004, a target group box is retrieved from the computer storage representing the Knowledge Map data. For example, in FIGURE 7B, the group box 762 representing a general door arrangement is retrieved at step 2004. At step 2006, all constraint relationships associated with the retrieved group box 762 are retrieved. As depicted in FIGURE 7B, at step 2006, the contingent relationship 760 is retrieved.

[0127] At step 2008, the method retrieves the first object within the current group box 762. As depicted in FIGURE 7B, the "Type I,I,III,III,I door arrangement" option 763 is the first object retrieved. At step 2010, the method retrieves all class attributes of the current object 763. At step 2012, the method retrieves all attributes specific to the current object 763.

[0128] At step 2014, a test is made to determine whether any additional objects exist within the current group box 762. If an additional object exists, flow proceeds to step 2016, where the method retrieves the next object within the current group box 762. As depicted in FIGURE 7B, the next object is the "Type I,I,I,I door arrangement" option 764. Flow then proceeds back to step 2010, to retrieve class attributes of the new current object 764.

[0129] At step 2012, object-specific attributes for the new current option 764 are retrieved. At step 2014, if no more objects are within the current group box, as depicted in FIGURE 7B, flow proceeds to step 2018. At step 2018, a test is made to determine whether any subclasses exist within the current group box. If any subclasses exist within the group box, at step 2020 the method retrieves the first subclass within the current group box 762. At step 2022, the method recursively repeats the group box analysis that begins at step 2004, as described above. At step 2024, a test is made to determine whether any additional subclasses exist within the current group box 762. If any additional group boxes exist, flow returns back to step 2020, to retrieve the next subclass.

[0130] If, at step 2024, no more subclasses exist within the current group box 762, flow proceeds to step 2026, where the method prints the retrieved class-based information. The class based information corresponds to the Knowledge Map, such that each group box represents a class of options, and each nested group box represents a subclass of the class corresponding to the group box that surrounds it. For example, in FIGURE 4A, the "PW engine options" group box 426, the "RR engine options" group box 436, and the "high altitude" group box 446 all represent subclasses of the option class corresponding to the "engine options" group box 440.

[0131] Returning now to FIGURE 1, after automatically generating object-based data from the retrieved object-based information, a computer programmer skilled in the art of object-oriented programming creates an object-based program, at step 36. At step 38, the object-based program is executed to validate a set of product options selected by a customer. The object-based program also automatically configures a final product, determining the modules required based upon the set of product options selected.

[0132] While the preferred embodiment of the invention has been illustrated and described, it will be appreciated that various changes can be made therein without departing from the spirit and scope of the invention.

Claims

1. A method of structuring product information used in a determination of a product configuration, using a computer system comprising a processor, memory, an input device, and a computer display device having a display area for displaying graphical symbols, the method comprising:
 - (a) displaying a palette within said display area, said palette comprising a representation of a plurality of graphical product objects and at least one graphical logical relationship object, said plurality of graphical product objects including:
 - (i) at least one graphical option object, wherein said graphical option object represents a product option and includes at least one attribute identifying said product option;
 - (ii) at least one graphical module object, wherein said graphical module object represents a product module and includes at least one attribute identifying said product module; and
 - (b) receiving a plurality of selection inputs from said computer input device, including a first selection input representing a first graphical product object, a second selection input representing a second graphical product object, and a third selection input representing one of said graphical logical relationship objects;
 - (c) receiving a plurality of coordinate inputs from said computer input device, each coordinate input corresponding to one of said selection inputs and representing a position in said display area of said computer display device;
 - (d) graphically representing said first graphical product object, said second graphical product object, and said graphical logical relationship object, each graphical product object being represented at a position corresponding to one of said coordinate inputs;
 - (e) receiving an input selection of an identifier corresponding to said first graphical product object, said identifier corresponding to a first entry in a database;
 - (e) receiving an input selection of an identifier corresponding to said second graphical product object, said identifier corresponding to a second entry in said database;
 - (e) creating a link between said second graphical product object and said graphical logical relationship object; and
 - f) storing information pertaining to said first graphical product object, said second graphical product object, and said graphical logical relationship object in said database.
2. The method of claim 1, wherein said palette further comprises:
 - (a) a graphical logical relationship object representing a conjunctive relationship between product options; and
 - (b) a graphical logical relationship object representing a disjunctive relationship between product options.
3. The method of claim 2, wherein said palette further comprises a graphical contingent relationship object representing a contingent relationship between said first graphical product object and said second graphical product object.
4. The method of claim 3, wherein said palette further comprises a graphical group box object representing a grouping of a plurality of product option objects.
5. The method of claim 4, further comprising:

receiving a selection input representing a graphical group box object; receiving a coordinate input representing a position in said display area for displaying of said graphical group box; and graphically representing said graphical group box, said graphical representation indicative of a grouping of said first graphical product object and said second graphical product object.
6. The method of claim 2, wherein said palette further comprises a graphical constraint object representing a constraint relationship between said first at least one graphical product object and said second at least one graphical product object.
7. The method of claim 1, wherein said first graphical product object is a graphical option object, and said second graphical product object is a graphical option object.

8. The method of claim 7, wherein said first graphical product object is a graphical hard called-out option object, and said second graphical product object is a graphical reference option object, and wherein said first entry in said database is the same as said second entry in said database.
- 5 9. The method of claim 1, further comprising:
 - a) verifying that said graphical logical relationship object has associated links with at least two of said plurality of graphical product objects.
- 10 10. The method of claim 1, further comprising:
 - (a) verifying that said graphical logical relationship object has associated links with exactly two of said plurality of graphical product objects.
- 15 11. The method of claim 1, wherein each of said graphical product option objects includes:
 - (a) an option type field including information representative of the type of option;
 - (b) an option identifier field containing an identifier corresponding to a product option;
 - (c) a description field containing information indicative of a description of said graphical product option object;
 - 20 and
 - (d) wherein said method further comprises preventing an operator from deleting said fields included in said product option.
12. The method of claim 1, further comprising:
 - 25 (a) receiving a drawing number;
 - (b) verifying that said drawing number is valid; and
 - (c) displaying a message if said drawing number is not valid.
- 30 13. The method of claim 1, further comprising:

retrieving the stored information pertaining to the graphical product objects and generating a set of rules for use by a rules-based computer program to produce product configuration data.
- 35 14. A method of creating a Knowledge Map containing graphical objects that represent product information used in a determination of a product configuration, the method comprising:
 - receiving a selection of two graphical product objects, including a first graphical product object and a second graphical product object, and displaying said graphical product objects;
 - 40 receiving a selection of a graphical relation object representing a relationship between said graphical product objects, and displaying said graphical relation object;
 - storing, in a database, data specifying the position of said graphical product objects and said graphical relation object;
 - receiving, for each graphical product object, a selection of an associated option identifier, said option identifier corresponding to a predetermined list of option identifiers stored in said database; and
 - 45 verifying that said option identifier associated with said first graphical product object is different from said option identifier associated with said second graphical product object.
- 50 15. The method of claim 14, wherein said first graphical product object is a graphical option object, and said second graphical product object is a graphical module object.
16. A computer-based method of configuring a product on a computer system having a processor, a memory, an input device, and a display area; the method comprising:
 - 55 (a) receiving at least two input selections indicative of a graphical product object representative of product configuration information;
 - (b) receiving input representative of a relationship between two of the graphical product objects indicated by the object input;

- (c) graphically representing the graphical product objects and the relationship between the graphical product objects within the display area;
- (d) storing information pertaining to the selected graphical product objects and the relationship between the graphical product objects; and
- 5 (e) generating a set of rules for use by a rules-based computer program to produce product configuration data, the generation of rules based on the stored information.

17. The method of claim 16, wherein at least one of the graphical product objects is a graphical option object representing a product option, and at least one graphical product object is a graphical module object representative of a product module, and wherein the generation of the rule includes:

identifying at least one graphical option object having associated information specifying that a customer's selection of the product option corresponding to the graphical option object requires an inclusion of the product module corresponding to the graphical module object.

18. The method of claim 16, wherein the generation of the set of rules comprises:

- (a) determining whether a first graphical option object and a second graphical option object have a conjunctive relationship with a graphical module object, the conjunctive relationship representing the information that a customer's selection of the first graphical option object and the second graphical option object requires the inclusion of the module in the product; and
- (b) in response to the determination, selectively generating a rule specifying the conjunctive relationship between the first graphical option object, the second graphical option object, and the graphical module object.

19. The method of claim 16, further comprising:

- (a) receiving input representative of a customer's selection of at least one product option having a corresponding graphical product option object; and
- (b) determining whether the customer's selection is logically consistent with the stored information.

20. A computer-based method of configuring a product on a computer system having a processor, a memory, an input device, and a display area, the method comprising:


- (a) receiving at least two input selections indicative of a graphical product object representative of product configuration information;
- (b) receiving input representative of a relationship between two of the graphical product objects indicated by the object input;
- (c) graphically representing the graphical product objects and the relationship between the graphical product objects within the display area;
- (d) storing information pertaining to the selected graphical product objects and the relationship between the graphical product objects; and
- (e) generating data for use in creating an object-based computer program, the generation of data based on the stored information; and
- (f) creating an object-based computer program based on the generated data, the object-based program operative for producing product configuration data.


21. The method of claim 20, wherein at least one of the graphical product objects is a graphical option object representing a product option, and at least one graphical product object is a graphical module object representative of a product module, and wherein the generation of the rule includes:


identifying at least one graphical option object having associated information specifying that a customer's selection of the product option corresponding to the graphical option object requires an inclusion of the product module corresponding to the graphical module object.

22. An apparatus for implementing a method according to any of the claims 1-20.

RETRIEVE RULE
INFORMATION
GENERATE
(FIG 18)

*Fig. 1*

*Fig. 2*

*Fig. 3*





Fig. 4

Fig. 5A






Fig. 5B




Fig. 6

72720049000

1. DATE 11/11/1964

021017


7200-0000

APPENDIX PAGE 1

RF ENGINE OPTI

1999 12 11

Fig. 7A






Fig. 7B




Fig. 7C




Fig. 7D





Fig. 7E

*Fig. 8*

906 TITLE BLOCK EDITOR

910

924

926

928

930

932

940

938

934

914

902

918

904

908

912

916

920

922

BOEING
KNOWLEDGE MAP

TITLE
OXYGEN -
PORTABLE

DRAWING NUMBER
KM3530N9000

SHEET #
1

REV
-

DRAWING STATUS
IN WORK

GROUP ORG

KNOWLEDGE MAP TYPE
☐ OPTION TO OPTION MAP
☐ OPTION TO MODULE MAP

DRAWN
THOMAS STREVEY

CHECKED

ENGR

APPROVAL

DATE 04/02/96

DATE

DATE

DATE

DATE

DATE

DATE

OPTION TABLE

OPTION NUMBER
64-00373D

OPTION DESCRIPTION
DETACHABLE REFERENCE EQUIPMENT
PASSENGER EQUIPMENT

OPTION TYPE
☐ DETACHABLE REFERENCE EQUIPMENT
☐ PASSENGER EQUIPMENT

OPTION NUMBER
64-00373D

OPTION DESCRIPTION
DETACHABLE REFERENCE EQUIPMENT
PASSENGER EQUIPMENT

OPTION TYPE
☐ DETACHABLE REFERENCE EQUIPMENT
☐ PASSENGER EQUIPMENT

OK

CANCEL

Fig. 9

1008

OPTION EDITOR

1009

OPTION NUMBER
2564-003TBD

OPTION TITLE
DETACHABLE EMERGENCY EQUIPMENT
PASSENGER COMPARTMENT

OPTION DESCRIPTION
INSTALL PASSENGER COMPARTMENT EMERGENCY
EQUIPMENT WITH THE FOLLOWING OPTION
ATTRIBUTES:

1011

1013

AVAILABLE OPTIONS

2564-004TBD

2564-010TBD

2566-000001

2566-000002

2566-000003

2566-000010

2566-000012

2566-000013

2566-000014

2566-000015

2566-000016

2566-000017

2566-000024

2566-000025

2610-000031

1012

1014

1016

1018

PLEASE SELECT ONE OPTION TYPE

☒ OPTION

☐ OPTION ATTRIBUTE

☒ ADO (ATTRIBUTE DRIVER OPTION)

☐ DCI (DETAIL CONFIGURATION ITEM)

REFERENCE

☒ DISCRETIONARY / MANDATORY?

☒ DISCRETIONARY

☐ MANDATORY

1024

1026

1028

REFERENCE INFORMATION

REFERENCE NUMBER KM2560N9000

1032

1030

SHEET NUMBER 1

1034

1036

1010

1020

1022

1038

1040

CANCEL

OK

Fig. 10




Fig. 11

CONJUNCTION LINE EDITOR

DESCRIPTION (ANY EXPLANATION FOR THIS RELATIONSHIP)

PBE'S FOR FLIGHT CREW IS REQUIRED FOR UKCAA CERTIFICATION

1212

1214

1216

1218

CANCEL

OK

1210

1202

Fig. 12




Fig. 13

CONTINGENT LINE EDITOR

DESCRIPTION (PLEASE EXPLAIN THIS CONTINGENCY)

1. QUANTITY AND LOCATION OF OXYGEN BOTTLES IS DEPENDENT
ON THE FLIGHT PROFILE, NUMBER OF PASSENGERS AND
INTERIOR CONFIGURATION.

CANCEL OK

Fig. 14

GROUP BOX EDITOR

GROUP TITLE

TITLE POSITION
☐ TOP LEFT ☒ TOP CENTER ☐ TOP RIGHT
☐ BOTTOM LEFT ☐ BOTTOM CENTER

GROUP DESCRIPTION
 THESE OPTIONS SATISFY THE SUPPLEMENTAL
 OXYGEN REQUIREMENTS DEFINED BY
 FAR 121-333


GROUP DIFFERENTIATION
☐ NORMAL SOLID LINE
☐ THICK SOLID LINE
☐ NORMAL DASHED LINE
☐ THICK DASHED LINE
☐ SHADED (ONLY FOR BOTTOM GROUP)


GROUP TYPE
☒ CATEGORY
☐ SUBFUNCTIONALITY


DISCRETIONARY? / MANDATORY?
☒ DISCRETIONARY
☐ MANDATORY

PRODUCES A GROUP BOX WITH A NORMAL SOLID LINE

Fig. 15

*Fig. 16*

*Fig. 17A*

*Fig. 17B*




Fig. 18A




Fig. 18B




Fig. 18C




Fig. 19

Fig. 20

